## Product details: TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6





product code: SPP9-4-mSRP1B-U-1BEZ

# **POLISH PRODUCT**

Torches SPARTUS® ProFLEX brand are made in Poland

## **Product variants**

Index

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6 SPP9-4-mSRP1B-U-1BEZ

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB® SPP9-4-mSRP1B-U-1ESB

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB® SPP9-4-mSRP1B-U-1EWM

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FALTIG® SPP9-4-mSRP1B-U-1FAL

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FRONIUS® SPP9-4-mSRP1B-U-1FRO

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to KEMPPI® SPP9-4-mSRP1B-U-1KMP

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to LINCOLN® SPP9-4-mSRP1B-U-1LIN

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to MAGNUM® SPP9-4-mSRP1B-U-1MAG

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB® SPP9-4-mSRP1B-U-2ESB

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FRONIUS® SPP9-4-mSRP1B-U-2FRO

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to KEMPPI® SPP9-4-mSRP1B-U-2KMP

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to MAGNUM® SPP9-4-mSRP1B-U-2MAG

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP9-4-mSRP1B-U-8SPA

TIG 9 torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP9-4-MSRP1B-U-9SPA

## **Product description**

# **SPARTUS<sup>®</sup> PROFLEX TIG 9 TORCH**

**SPARTUS ProFLEX** TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

#### **CABLES**



In the opposite of the opposit

hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.



### **CABLE PACKAGES**

In SPARTUS® ProFLEX holders, 3 types of cable covers can be used. The "T" and "U" packages are manufactured in a textilepolyester cover, while the "X" package is made in a textilerubber cover. The "U" and "X" packages also have a one-meter section of leather behind the handle.



textile-polyester cable package cover



textile-rubber cable package cover

### TOOLBOX

SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

### WIDE CHOICE OF CONNECTIONS

Thanks to the wide range of connections, SPARTUS® ProFLEX torches can be used with many market-leading welding devices.

The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.

## lecnnical details

Rating	125A DC 100A AC
Electrode diameter	0.5 - 2.4mm
Gas flow rate	7 - 15 l/min
Duty cycle	80%
Cooling type	gas
Standard	9 [small consumables]
Length	4m
Control plug	SK35, 30cm hose, Rec6