



product code: **SPP24W-4-mSRP1B-U-1BEZ**

POLISH PRODUCT

Torches **SPARTUS®** **ProFLEX** brand are made in Poland

Product variants

Index

TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6 SPP24W-4-mSRP1B-U-1BEZ
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit ESAB® SPP24W-4-mSRP1B-U-1ESB
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit EWM® SPP24W-4-mSRP1B-U-1EWM
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit FRONIUS® SPP24W-4-mSRP1B-U-1FRO
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit KEMPPi® SPP24W-4-mSRP1B-U-1KMP
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit LINCOLN® SPP24W-4-mSRP1B-U-1LIN
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit MAGNUM® SPP24W-4-mSRP1B-U-1MAG
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit ESAB® SPP24W-4-mSRP1B-U-2ESB
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit FRONIUS® SPP24W-4-mSRP1B-U-2FRO
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit KEMPPi® SPP24W-4-mSRP1B-U-2KMP
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, control plug fit MAGNUM® SPP24W-4-mSRP1B-U-2MAG
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP24W-4-mSRP1B-U-8SPA
TIG 24W torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP24W-4-mSRP1B-U-9SPA

Product description

SPARTUS® PROFLEX TIG 24W TORCH

SPARTUS® ProFLEX TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

CABLES

In the production of **SPARTUS® ProFLEX** torches, a professional cotton braided hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.

CABLE PACKAGES

In **SPARTUS® ProFLEX** holders, 3 types of cable covers can be used. The „T” and „U” packages are manufactured in a textile-polyester cover, while the „X” package is made in a textile-rubber cover. The „U” and „X” packages also have a one-meter section of leather behind the handle.



textile-polyester cable
package cover



textile-rubber cable
package cover

TOOLBOX

SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

WIDE CHOICE OF CONNECTIONS

Thanks to the wide range of connections, **SPARTUS® ProFLEX** torches can be used with many market-leading welding devices.

The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.

Technical details

Rating	180A DC 100A AC
Electrode diameter	0.5, 1.0, 1.6, 2.0, 2.4mm
Gas flow rate	7 - 20 l/min
Liquid cooling floow	1 - 1.5 l/min
Duty cycle	100%
Cooling type	liquid
Standard	24W [small consumables]
Length	4m
Control plug	SK35, 30cm hose, Rec6