Product details: TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6



SP20 PROFLEX



product code: SPP20-4-mSRP1B-U-1BEZ

POLISH PRODUCT

Torches SPARTUS® ProFLEX brand are made in Poland

Product variants

| Index | Price |
|--|----------------------------------|
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6 SPP20-4-mSRP1B-U-1BEZ | €194.52 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB® SPP20-4-mSRP1B-U-1ESB | €201.55 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to EWM® SPP20-4-mSRP1B-U-1EWM | €201.55 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FRONIUS® SPP20-4-mSRP1B-U-1FRO | €205.76 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to KEMPPI® SPP20-4-mSRP1B-U-1KMP | €205.76 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to LINCOLN® SPP20-4-mSRP1B-U-1LIN | €201.55 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to MAGNUM® SPP20-4-mSRP1B-U-1MAG | €201.55 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB® SPP20-4-mSRP1B-U-2ESB | €256.33 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FRONIUS® SPP20-4-mSRP1B-U-2FRO | €256.33 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to KEMPPI® SPP20-4-mSRP1B-U-2KMP | €256.33 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to MAGNUM® SPP20-4-mSRP1B-U-2MAG | €201.55 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP20-4-mSRP1B-U-8SPA | €201.55 / pc Net price |
| TIG 20 torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP20-4-mSRP1B-U-9SPA | €201.55 / pc Net price |

NOV-WELD Generate: 2025-04-28 1/3

| Index | Price |
|--|--------------|
| TIG 20 torch, 4m, ProFLEX series, mini 4B, X package, control plug fit to SPARTUS® | €216.19 / pc |
| SPP20-4-mSRP4B-X-9SPA | Net price |
| TIG 20 torch, 8m, ProFLEX series, mini 4B, X package, control plug fit to SPARTUS® | €259.34 / pc |
| SPP20-8-mSRP4B-X-9SPA | Net price |

Product description

SPARTUS® PROFLEX TIG 20 TORCH

SPARTUS® **ProFLEX** TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

CABLES

In the production of **SPARTUS® ProFLEX** torches, a professional cotton braided hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.

CABLE PACKAGES

In SPARTUS® ProFLEX holders, 3 types of cable covers can be used. The "T" and "U" packages are manufactured in a textile-polyester cover, while the "X" package is made in a textile-rubber cover. The "U" and "X" packages also have a one-meter section of leather behind the handle.





textile-polyester cable package cover



textile-rubber cable package cover

TOOLBOX

SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

WIDE CHOICE OF CONNECTIONS

NOV-WELD Generate: 2025-04-28 2 / 3



Thanks to the wide range of connections, SPARTUS® ProFLEX torches can be used with many market-leading welding devices.

The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.

Technical details

| Rating | 250A DC 200A AC |
|----------------------|--------------------------------|
| Electrode diameter | 0.5, 1.0, 1.6, 2.0, 2.4, 3.2mm |
| Gas flow rate | 7 - 20 I/min |
| Liquid cooling floow | 1.0 - 1.5 l/min |
| Duty cycle | 100% |
| Cooling type | liquid |
| Standard | 20/25 [small consumables] |
| Length | 4m |
| Control plug | SK35, 30cm hose, Rec6 |

NOV-WELD Generate: 2025-04-28 3/3