

Product details: TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6

nov-weld

SP20HD PROFLEX

product code: SPP20HD-4-mSRP1B-U-1BEZ



## POLISH PRODUCT

Torches SPARTUS® ProFLEX brand are made in Poland

### Product variants

| Index   | Price                     |
|---|---------------------------|
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6<br>SPP20HD-4-mSRP1B-U-1BEZ        | €188.04 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB®<br>SPP20HD-4-mSRP1B-U-1ESB    | €194.62 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to EWM®<br>SPP20HD-4-mSRP1B-U-1EWM     | €194.62 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FRONIUS®<br>SPP20HD-4-mSRP1B-U-1FRO | €198.57 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to KEMPPI®<br>SPP20HD-4-mSRP1B-U-1KMP  | €198.57 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to LINCOLN®<br>SPP20HD-4-mSRP1B-U-1LIN | €194.62 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to MAGNUM®<br>SPP20HD-4-mSRP1B-U-1MAG  | €194.62 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to ESAB®<br>SPP20HD-4-mSRP1B-U-2ESB    | €245.97 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to FRONIUS®<br>SPP20HD-4-mSRP1B-U-2FRO | €245.97 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to KEMPPI®<br>SPP20HD-4-mSRP1B-U-2KMP  | €245.97 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit to MAGNUM®<br>SPP20HD-4-mSRP1B-U-2MAG  | €194.62 / pc<br>Net price |
| TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug<br>SPP20HD-4-mSRP1B-U-8SPA        | €194.62 / pc<br>Net price |

| Index  | Price                            |
|--|----------------------------------|
| <b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug</b><br>SPP20HD-4-mSRP1B-U-9SPA            | <b>€194.62 / pc</b><br>Net price |
| <b>Hand torch TIG 20HD 4m, series SPARTUS Pro, mini 4B, package X, with connection SPARTUS®</b><br>SPP20HD-4-MSRP4B-X-9SPA | <b>€208.35 / pc</b><br>Net price |
| <b>Hand torch TIG 20HD 8m, series SPARTUS Pro, mini 4B, package X, with connection SPARTUS®</b><br>SPP20HD-8-MSRP4B-X-9SPA | <b>€248.79 / pc</b><br>Net price |

## Product description

# SPARTUS® PROFLEX TIG 20HD TORCH

**SPARTUS® ProFLEX** TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

### CABLES



In  
the



production of **SPARTUS® ProFLEX** torches, a professional cotton braided hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.

### CABLE PACKAGES

In **SPARTUS® ProFLEX** holders, 3 types of cable covers can be used. The „T” and „U” packages are manufactured in a textile-polyester cover, while the „X” package is made in a textile-rubber cover. The „U” and „X” packages also have a one-meter section of leather behind the handle.



textile-polyester cable package cover



textile-rubber cable package cover

## TOOLBOX

SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

## WIDE CHOICE OF CONNECTIONS

Thanks to the wide range of connections, SPARTUS® ProFLEX torches can be used with many market-leading welding devices.

*The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.*

## Technical details

|                            |                                       |
|----------------------------|---------------------------------------|
| <b>Rating</b>              | <b>300A DC 220A AC</b>                |
| <b>Electrode diameter</b>  | <b>0.5, 1.0, 1.6, 2.0, 2.4, 3.2mm</b> |
| <b>Gas flow rate</b>       | <b>7 - 20 l/min</b>                   |
| <b>Liquid cooling flow</b> | <b>1.0 - 1.5 l/min</b>                |
| <b>Duty cycle</b>          | <b>100%</b>                           |
| <b>Cooling type</b>        | <b>liquid</b>                         |
| <b>Standard</b>            | <b>20HD [small consumables]</b>       |
| <b>Length</b>              | <b>4m</b>                             |
| <b>Control plug</b>        | <b>SK35, 30cm hose, Rec6</b>          |