

SP20HD PROFLEX



product code: SPP20HD-4-mSRP1B-U-1ESB

1ESB

## POLISH PRODUCT

Torches SPARTUS® ProFLEX brand are made in Poland

### Product variants

Index	Price
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit ESAB®</b> SPP20HD-4-mSRP1B-U-1ESB	<b>€207.62 / pc</b> VAT 23% €255.37 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SK35, 30cm hose, Rec6</b> SPP20HD-4-mSRP1B-U-1BEZ	<b>€200.60 / pc</b> VAT 23% €246.74 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit EWM®</b> SPP20HD-4-mSRP1B-U-1EWM	<b>€207.62 / pc</b> VAT 23% €255.37 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit FRONIUS®</b> SPP20HD-4-mSRP1B-U-1FRO	<b>€211.83 / pc</b> VAT 23% €260.55 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit KEMPPİ®</b> SPP20HD-4-mSRP1B-U-1KMP	<b>€211.83 / pc</b> VAT 23% €260.55 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit LINCOLN®</b> SPP20HD-4-mSRP1B-U-1LIN	<b>€207.62 / pc</b> VAT 23% €255.37 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit MAGNUM®</b> SPP20HD-4-mSRP1B-U-1MAG	<b>€207.62 / pc</b> VAT 23% €255.37 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit ESAB®</b> SPP20HD-4-mSRP1B-U-2ESB	<b>€262.40 / pc</b> VAT 23% €322.75 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit FRONIUS®</b> SPP20HD-4-mSRP1B-U-2FRO	<b>€262.40 / pc</b> VAT 23% €322.75 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit KEMPPİ®</b> SPP20HD-4-mSRP1B-U-2KMP	<b>€262.40 / pc</b> VAT 23% €322.75 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, control plug fit MAGNUM®</b> SPP20HD-4-mSRP1B-U-2MAG	<b>€207.62 / pc</b> VAT 23% €255.37 / pc

Index	Price
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP20HD-4-mSRP1B-U-8SPA</b>	<b>€207.62 / pc</b> VAT 23% €255.37 / pc
<b>TIG 20HD torch, 4m, ProFLEX series, mini 1B, U package, SPARTUS® control plug SPP20HD-4-mSRP1B-U-9SPA</b>	<b>€207.62 / pc</b> VAT 23% €255.37 / pc
<b>Hand torch TIG 20HD 4m, series SPARTUS Pro, mini 4B, package X, with connection SPARTUS® SPP20HD-4-MSRP4B-X-9SPA</b>	<b>€222.26 / pc</b> VAT 23% €273.38 / pc
<b>Hand torch TIG 20HD 8m, series SPARTUS Pro, mini 4B, package X, with connection SPARTUS® SPP20HD-8-MSRP4B-X-9SPA</b>	<b>€265.42 / pc</b> VAT 23% €326.47 / pc

## Product description

### SPARTUS® PROFLEX TIG 20HD TORCH

**SPARTUS® Proflex** TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

## CABLES



production of **SPARTUS® ProFLEX** torches, a professional cotton braided hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.



## CABLE PACKAGES

In SPARTUS® ProFLEX holders, 3 types of cable covers can be used. The „T” and „U” packages are manufactured in a textile-polyester cover, while the „X” package is made in a textile-rubber cover. The „U” and „X” packages also have a one-meter section of leather behind the handle.



textile-polyester cable package cover



textile-rubber cable package cover

## TOOLBOX

SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

## WIDE CHOICE OF CONNECTIONS

Thanks to the wide range of connections, SPARTUS® ProFLEX torches can be used with many market-leading welding devices.

The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.

## Technical details

Rating	<b>300A DC 220A AC</b>
Electrode diameter	<b>0.5, 1.0, 1.6, 2.0, 2.4, 3.2mm</b>
Gas flow rate	<b>7 - 20 l/min</b>
Liquid cooling flow	<b>1.0 - 1.5 l/min</b>
Duty cycle	<b>100%</b>
Cooling type	<b>liquid</b>

Standard	<b>20HD [small consumables]</b>
Length	<b>4m</b>
Control plug	<b>1ESB - fit ESAB®</b>