Product details: TIG 18 torch, 4m, ProFLEX series, 1B, U package, SK35, 30cm hose, Rec6





product code: SPP18-4-SRP1B-U-1BEZ

POLISH PRODUCT

Torches SPARTUS® ProFLEX brand are made in Poland

Product variants

Index

TIG 18 torch, 4m, ProFLEX series, 1B, U package, SK35, 30cm hose, Rec6 SPP18-4-SRP1B-U-1BEZ

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit ESAB® SPP18-4-SRP1B-U-1ESB

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit EWM® SPP18-4-SRP1B-U-1EWM

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit FRONIUS® SPP18-4-SRP1B-U-1FRO

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit KEMPPI® SPP18-4-SRP1B-U-1KMP

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit LINCOLN® SPP18-4-SRP1B-U-1LIN

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit MAGNUM® SPP18-4-SRP1B-U-1MAG

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit ESAB® SPP18-4-SRP1B-U-2ESB

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit FRONIUS® SPP18-4-SRP1B-U-2FRO

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit KEMPPI® SPP18-4-SRP1B-U-2KMP

TIG 18 torch, 4m, ProFLEX series, 1B, U package, control plug fit MAGNUM® SPP18-4-SRP1B-U-2MAG

TIG 18 torch, 4m, ProFLEX series, 1B, U package, SPARTUS® control plug SPP18-4-SRP1B-U-8SPA

TIG 18 torch, 4m, ProFLEX series, 1B, U package, SPARTUS® control plug SPP18-4-SRP1B-U-9SPA

Hand torch TIG 18 4m, series SPARTUS Pro, 4B, package X, with connection SPARTUS® SPP18-4-SRP4B-X-9SPA

Hand torch TIG 18 8m, series SPARTUS Pro, 4B, package X, with connection SPARTUS® SPP18-8-SRP4B-X-9SPA

Product description

SPARTUS[®] PROFLEX TIG 18 TORCH

SPARTUS ProFLEX TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

CABLES

In the production of **SPARTUS ProFLEX** torches, a professional cotton braided hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.

CABLE PACKAGES

In SPARTUS® ProFLEX holders, 3 types of cable covers can be used. The "T" and "U" packages are manufactured in a textile-polyester cover, while the "X" package is made in a textile-rubber cover. The "U" and "X" packages also have a one-meter section of leather behind the handle.





textile-polyester cable package cover



textile-rubber cable package cover

TOOLBOX



SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

WIDE CHOICE OF CONNECTIONS

Thanks to the wide range of connections, SPARTUS® ProFLEX torches can be used with many market-leading welding devices.

The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.

Technical details

Rating	350A DC 250A AC
Electrode diameter	0.5, 1.0, 1.6, 2.0, 2.4, 3.2, 4.0mm
Gas flow rate	7 - 20 l/min
Liquid cooling floow	1.0 - 1.5 l/min
Duty cycle	100%
Cooling type	liquid
Standard	18 [large comsumables]
Length	4m
Control plug	SK35, 30cm hose, Rec6