

Product details: TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, SK35, 30cm hose, Rec6



product code: **SPP150RA-4-mSRP1B-U-1BEZ**

POLISH PRODUCT

Torches **SPARTUS® ProFLEX** brand are made in Poland

Product variants

Index

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, SK35, 30cm hose, Rec6
SPP150RA-4-mSRP1B-U-1BEZ

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to ESAB®
SPP150RA-4-mSRP1B-U-1ESB

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to EWM®
SPP150RA-4-mSRP1B-U-1EWM

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to FALTIG®
SPP150RA-4-mSRP1B-U-1FAL

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to FRONIUS®
SPP150RA-4-mSRP1B-U-1FRO

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to KEMPPI®
SPP150RA-4-mSRP1B-U-1KMP

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to LINCOLN®
SPP150RA-4-mSRP1B-U-1LIN

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to MAGNUM®
SPP150RA-4-mSRP1B-U-1MAG

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to ESAB®
SPP150RA-4-mSRP1B-U-2ESB

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to FRONIUS®
SPP150RA-4-mSRP1B-U-2FRO

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to KEMPPI®
SPP150RA-4-mSRP1B-U-2KMP

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, control plug fit to MAGNUM®
SPP150RA-4-mSRP1B-U-2MAG

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, SPARTUS® control plug
SPP150RA-4-mSRP1B-U-8SPA

TIG 150R torch with SP9-90R rotary head, 4m, ProFLEX series, 1B, U package, SPARTUS® control plug
SPP150RA-4-mSRP1B-U-9SPA

Product description

SPARTUS® PROFLEX TIG 150R TORCH

SPARTUS® ProFLEX TIG torches manufactured in Poland are characterized by high quality of components used and solid workmanship. A wide selection of torch bodies, handles, microswitches and cable packages allows you to meet the expectations of even the most demanding welders.

CABLES

In the production of **SPARTUS® ProFLEX** torches, a professional cotton braided hose, made in the USA, was used. The high-density outer braid provides the highest level of flexibility, both at high and low temperatures.

CABLE PACKAGES

In SPARTUS® ProFLEX holders, 3 types of cable covers can be used. The „T” and „U” packages are manufactured in a textile-polyester cover, while the „X” package is made in a textile-rubber cover. The „U” and „X” packages also have a one-meter section of leather behind the handle.



textile-polyester cable
package cover



textile-rubber cable
package cover



TOOLBOX

SPARTUS® ProFLEX torches are equipped with a handy box containing consumables (toolbox).

ROTATING TORCH HEADS

Rotating SPARTUS® torch heads are an excellent solution for work carried out in hard-to-reach places. The body of the burner, thanks to its construction, allows the head to be

rotated 360°. This solution increases the comfort and efficiency of work. In addition, the rotating torch head system allows you to quickly replace the head, depending on your needs. In the SP150R holders, heads of standard SP9/20 or SP17/18/26 can be used interchangeably.

WIDE CHOICE OF CONNECTIONS

Thanks to the wide range of connections, SPARTUS® ProFLEX torches can be used with many market-leading welding devices.

The picture of the handle presented in the article is illustrative and depends on the options selected in the configurator and related products.

Technical details

Rating	125A DC 100A AC
Electrode diameter	0.5, 1.0, 1.6, 2.0, 2.4mm
Gas flow rate	7 - 15 l/min
Duty cycle	80%
Cooling type	gas
Standard	9 [small consumables], replaceable, rotary torch heads
Length	4m
Control plug	SK35, 30cm hose, Rec6