Product details: SPARTUS Easy 2000 laser welding

machine with wire feeder





Raycus



product code: LASER-EASY2000-PAK1 product ean: 5900391246054

The set includes:

- laser source Raycus
- F230 handheld laser head (9,5m) with F150 focus lens (as an option, there's the possibility to switch the F210 head)
- wire feeder with 1.2 1.6V fi37 rollers
- distilled water or coolant selection depending on the season
- 2x wire guide rollers 0.8 1.0V fi37
- insulated steel liner
- teflon liner
- set of single nozzles for the laser head
- · 4 single wire feeder tips
- protective lenses

Product variants

Index

SPARTUS Easy 2000 laser welding machine with wire feeder

LASER-EASY2000-PAK1

SPARTUS Easy 2000 laser welding machine with double wire feeder


LASER-EASY2000-PAK2A

Product description

SPARTUS® **EASY 2000** - INNOVATIVE TECHNOLOGY FOR WELDING, CUTTING AND CLEANING MATERIALS

The SPARTUS ® Easy 2000 laser welder is the key to achieving unparalleled quality in connections. This device surpasses traditional welding methods like MIG or TIG due to the exceptional precision it offers. The laser enables the creation of significantly smaller, microscopic-sized welds, thereby minimizing the heat-affected zone on the surrounding material. Consequently, laser welding is an excellent choice for joining even the tiniest components that are challenging to weld using other welding methods.

NOV-WELD Generate: 2025-08-06 1 / 4



ADVANTAGES OF SPARTUS® Easy 2000:

- High precision welding
- Excellent control over the welding process
- Limited material distortion
- Clean welds that require no post-processing
- Application in hard-to-reach areas
- Optimized production time
- Durable and resilient joints
- Capability to join, cut, and clean various materials
- High-class laser source





WIRE FEEDER

The wire feeder for the SPARTUS® Easy 2000 laser welder is a device that precisely delivers welding material to the welding area. This is crucial for controlling welding parameters, improving weld quality, and enhancing process efficiency. It automates the wire feeding, allowing the operator to focus on monitoring the welding process. As a result, the wire feeder is a significant tool in laser welding, especially in industrial production.

WELDING MATERIALS

Butt welding (maximum thickness)

NOV-WELD Generate: 2025-08-06 2 / 4









SPARTUS® LASER HEAD F230

The modern laser head allows for focal length adjustment. Additionally, it is equipped with a welding wire feeder mechanism. Ergonomic and user-friendly, it ensures precise and comfortable operation for the operator. Comes with a set of starter nozzles.


As an option, there's the possibility to switch the F210 head.

ONE DEVICE, MULTIPLE FUNCTIONS

SPARTUS® Easy 2000 is not only used for welding but also for cutting and cleaning various materials.

Laser cutting allows for precise material separation, creating accurate and clean edges without the need for mechanical processing. The cutting function as an additional device option allows cutting stainless steel up to 2mm and carbon steel up to 1.5mm. Copper and aluminum, as materials with a high beam reflection coefficient, should not be subjected to the laser cutting process.

Laser cleaning is an effective method for removing contaminants, paint layers, or rust from material surfaces while preserving their integrity and quality. Thanks to these laser technology applications, we achieve exceptional material processing efficiency with minimal impact on their structure.



NOV-WELD Generate: 2025-08-06 3 / 4



MULTILINGUAL MENU

The device interface is available in the following languages: • Polish • English • German • French • Spanish • Italian • Czech • Slovak • Greek • Romanian • Portuguese • Korean • Turkish • Russian

Technical details

Input	\sim 1× 230V ± 10% 50 / 60 Hz
Output power	2000W
Operating mode	continuous / modulation
Cooling type	liquid
Duty cycle	100%
Scanning speed	2 - 6000 mm/s
Scanning width	0 - 8 mm
Frequency	5 - 5000 Hz
Weight	165kg
Dimensions	956 x 580 x 823mm

NOV-WELD Generate: 2025-08-06 4 / 4