

product code: SP4BT-550-8



## Product variants

Index	Price
<b>SPARTUS® screw compressor with a tank [550/270 4kW 400V 8bar]</b> SP4BT-550-8	<b>€4,773.42 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [450/270 4kW 400V 10bar]</b> SP4BT-450-10	<b>€4,773.42 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [700/270 5.5kW 400V 10bar]</b> SP5.5BT-700-10	<b>€5,226.48 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [800/270 5.5kW 400V 8bar]</b> SP5.5BT-800-8	<b>€5,226.48 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [1000/270 7.5kW 400V 10bar]</b> SP7.5BT-1000-10	<b>€5,702.31 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [1150/270 7.5kW 400V 8bar]</b> SP7.5BT-1150-8	<b>€5,702.31 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [1400/500 15kW 400V 15bar]</b> SP15BT-1400-15	<b>€7,158.90 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [1900/500 15kW 400V 10bar]</b> SP15BT-1900-10	<b>€7,158.90 / pc</b> Net price
<b>SPARTUS® screw compressor with a tank [2150/500 15kW 400V 8bar]</b> SP15BT-2150-8	<b>€7,158.90 / pc</b> Net price

## Product description

Advantages of the device:

- reliable screw airends by global manufacturers (GHH RAND) designed for continuous operation,
- asymmetric design rotor's profiles to generate maximum power and performance at minimum energy cost,
- low-noise operation (71 dB),
- belt drive enabling easy modification of performance and maximum pressure by changing the pulley ratios,
- simplified access to maintain the airend,
- microprocessor controller with idle run function,

- a tank dedicated to the compressor power, with a capacity of 270 or 500l, ensuring uninterrupted transmission of the medium to the installation.

## Technical details

<b>Pressure</b>	<b>8bar</b>
<b>Capacity</b>	<b>550l/min</b>
<b>Power</b>	<b>4kW</b>
<b>Drive</b>	<b>belt</b>
<b>Loudness</b>	<b>71dB</b>
<b>Plug</b>	<b>3/4"</b>
<b>Weight</b>	<b>290kg</b>
<b>Dimensions</b>	<b>1650x680x1495mm</b>
<b>Tank</b>	<b>270l</b>