




# ROTARY BURRS SPARTUS®


## CYLINDER ROTARY BURR



➤ STANDARD ➤ HIGH PERFORMANCE

CODE	D1	L2	D2	L1
➤ 040-06-060HP	6	16	6	50
➤ 040-06-080	8	19	6	63
➤ 040-06-080HP	8	20	6	65
➤ 040-06-100HP	10	20	6	65
➤ 040-06-127	12,7	25	6	69
➤ 040-06-127HP	12,7	25	6	70
➤ 040-06-160	16	25	6	69


## CYLINDER ROTARY BURR (WITH END CUT)



➤ STANDARD ➤ HIGH PERFORMANCE

CODE	D1	L2	D2	L1
➤ 041-06-060HP	6	16	6	63
➤ 041-06-080	8	19	6	63
➤ 041-06-080HP	8	20	6	65
➤ 041-06-100HP	10	20	6	65
➤ 041-06-127	12,7	25	6	69
➤ 041-06-127HP	12,7	25	6	70
➤ 041-06-160	16	25	6	69


## BALL NOSE CYLINDER ROTARY BURR



➤ STANDARD ➤ HIGH PERFORMANCE

CODE	D1	L2	D2	L1
➤ 042-06-060HP	6	16	6	50
➤ 042-06-080	8	19	6	63
➤ 042-06-080HP	8	20	6	65
➤ 042-06-100HP	10	20	6	65
➤ 042-06-127	12,7	25	6	69
➤ 042-06-127HP	12,7	25	6	70
➤ 042-06-160	16	25	6	69


## ▶ BALL ROTARY BURR



▶ STANDARD ▶ HIGH PERFORMANCE

CODE	D1	L2	D2	L1
▶ 043-06-060HP	6	5	6	50
▶ 043-06-080	8	6,4	6	50
▶ 043-06-080HP	8	7	6	53
▶ 043-06-100HP	10	9	6	54
▶ 043-06-127	12,7	11	6	55
▶ 043-06-127HP	12,7	10	6	58
▶ 043-06-160	16	11	6	62


## ▶ OVAL ROTARY BURR



▶ STANDARD ▶ HIGH PERFORMANCE

CODE	D1	L2	D2	L1
▶ 044-06-095	9,5	16	6	60
▶ 044-06-127	12,7	22	6	66
▶ 044-06-127HP	12,7	22	6	66
▶ 044-06-160	16	25	6	69

## ▶ NOSE TREE ROTARY BURR BALL




▶ STANDARD ▶ HIGH PERFORMANCE

CODE	D1	L2	D2	L1
▶ 045-06-060HP	6	16	6	50
▶ 045-06-080HP	8	20	6	65
▶ 045-06-095	9,5	19	6	63
▶ 045-06-100HP	10	20	6	65
▶ 045-06-127	12,7	25	6	69
▶ 045-06-127HP	12,7	25	6	70
▶ 045-06-160	16	25	6	69

## ▶ TREE ROTARY BURR



▶ STANDARD ▶ HIGH PERFORMANCE




CODE	D1	L2	D2	L1
▶ 046-06-080	8	16	6	63
▶ 046-06-127	12,7	25	6	69
▶ 046-06-127HP	12,7	25	6	70
▶ 046-08-127	12,7	25	8	69
▶ 046-06-160	16	25	6	69

## ▶ FLAME ROTARY BURR



▶ STANDARD ▶ HIGH PERFORMANCE




CODE	D1	L2	D2	L1
▶ 047-06-080	8	19	6	63
▶ 047-06-080HP	8	18	6	50
▶ 047-06-100HP	10	25	6	65
▶ 047-06-127	12,7	32	8	76
▶ 047-06-127HP	12,7	32	6	76
▶ 047-06-160	16	36	6	80

## ▶ CONE 60° ROTARY BURR



▶ STANDARD




CODE	D1	L2	D2	L1
▶ 048-06-095	9,5	8	6	55
▶ 048-06-127	12,7	11	6	58
▶ 048-06-160	16	14	6	61

## ▶ CONE 90° ROTARY BURR



▶ STANDARD




CODE	D1	L2	D2	L1
▶ 049-06-095	9,5	4,7	6	52
▶ 049-06-127	12,7	6,3	6	54
▶ 049-06-160	16	8	6	57

## ▶ BALL NOSE CONE ROTARY BURR



▶ STANDARD ▶ HIGH PERFORMANCE




CODE	D1	L2	D2	L1
▶ 050-06-060HP	6	16	6	50
▶ 050-06-080	8	22	6	69
▶ 050-06-080HP	8	20	6	45
▶ 050-06-100HP	10	25	6	50
▶ 050-06-127	12,7	27	6	74
▶ 050-06-127HP	12,7	32	6	65
▶ 050-06-160	16	30	6	77

## ▶ CONE ROTARY BURR



▶ STANDARD ▶ HIGH PERFORMANCE




CODE	D1	L2	D2	L1
▶ 051-06-060HP	6	18	6	50
▶ 051-06-095	9,5	16	6	63
▶ 051-06-100HP	10	20	6	65
▶ 051-06-127	12,7	22	6	69
▶ 051-06-127HP	12,7	25	6	70
▶ 051-08-127	12,7	22	8	69
▶ 051-06-160	16	25	6	73

## ▶ INVERTED CONE ROTARY BURR



▶ STANDARD



CODE	D1	L2	D2	L1
▶ 052-06-095	9,5	9,5	6	53
▶ 052-06-127	12,7	12,7	6	57
▶ 052-06-160	16	19	6	63